

O'ZBEKISTON MILLIY UNIVERSITETI JIZZAX FILIALI

ISSN 2181-3884



ZAMONAVIY ILMIY-TEXNIK TADQIQOTLAR

xalqaro jurnali

Vol.2 N.1

2026

**International Journal of
Contemporary Scientific
and Technical Research**

**Volume 2 Issue 1
2026**

**Zamonaviy ilmiy-texnik
tadqiqotlar xalqaro jurnali**

**1-son
2026**

**Международный журнал
современных научно-
технических
исследований**

**Том 2 Выпуск 1
2026**



MIRZO ULUG'BEK NOMIDAGI O'ZBEKISTON MILLIY UNIVERSITETINING JIZZAX FILIALI

Xalqaro ilmiy-elektron jurnali

Tahrir kengashi raisi:

P.f.d., prof., O.X. Turakulov

Bosh muharrir:

A.A. Abdumalikov

Tahrir kengashi mas'ul kotibi:

D.M. Jomurodov

Tahririyat hay'ati:

1. B.f.d., prof., S. Murodova (O'zMU Jizzax filiali, UZB)
2. P.f.n., prof., S. Usmanov (O'zMU Jizzax filiali, UZB)
3. T.f.n., dos., S. Tavboev (O'zMU Jizzax filiali, UZB)
4. F.f.d., prof., N. Djusupov (O'zDJTU, UZB)
5. T.f.d., dos., S. Ruzimov (TTPU, UZB)
6. P.f.d., prof., G. Lekerova (SKU, KZH)
7. DSc., Ali Coşkan (ASUI, TR)
8. T.f.d., prof., D. Irgasheva (TATU, UZB)
9. T.f.d., prof., I. Siddikov (NRU TIIAME, UZB)
10. T.f.n., dos., S. Eshkabilov (NDU, US)

Zamonaviy ilmiy-texnik tadqiqotlar xalqaro elektron jurnali (International Journal of Contemporary Scientific and Technical Research) O'zMU Jizzax filiali Kengashining qaroriga asosan tashkil etilib, 2022-yil 9-sentabrda O'zbekiston Respublikasi Prezidenti Administratsiyasi huzuridagi Axborot va ommaviy kommunikatsiyalar agentligi tomonidan №038200 raqami bilan ro'yxatidan o'tkazilgan, shuningdek davlatlararo standartlar talabi asosida O'zbekiston Milliy kutubxonasidan jurnal uchun 2181-3884 ISSN raqami olingan.

© "O'zMU Jizzax filiali" – 2023

Tahririyat manzili:

130100, Jizzax viloyati, Jizzax shahri,
Sh.Rashidov Shox ko'chasi, 259-uy.

USKUNALARNI ALMASHTIRISH VA TEXNIK XIZMAT KO'RSATISH XARAJATLARINI MINIMALLASHTIRISH UCHUN MATEMATIK DASTURLASH MODELI

Mamatova Zilolaxon Xabibulloxonovna

Farg'ona davlat universiteti, dotsent (PhD)

Muhammadvaliyeva Mohichehra Zuhridin qizi

Farg'ona davlat universiteti, talaba

Annotatsiya

Mazkur maqolada 7 yillik rejalashtirish davri uchun uskunalarni almashtirish va ta'mirlash xarajatlarini minimallashtirish muammosi ko'rib chiqiladi. Tadqiqotda uskunaning xarid narxi, yillik ta'mirlash xarajatlari hamda qoldiq qiymatlari hisobga olinib, matematik dasturlash modeli ishlab chiqilgan. Dinamik dasturlash yondashuvi asosida segment xarajatlari hisoblangan va yo'naltirilgan atsiklik graf yordamida uskunalarni almashtirishning optimal strategiyasi aniqlangan. Microsoft Excel dasturida bajarilgan hisob-kitoblar umumiy xarajatlarni minimallashtiruvchi yechimni tasdiqlagan hamda eng maqbul qaror variantini ko'rsatgan. Olingan natijalar sanoat korxonalarida uskunalaridan samarali foydalanish, uzoq muddatli texnik boshqaruv va xarajatlarni rejalashtirishni takomillashtirishda amaliy ahamiyat kasb etadi.

Kalit so'zlar: uskunalarni almashtirish, ta'mirlash xarajatlari, dinamik dasturlash, matematik optimallashtirish, Excel hisob-kitoblari, 7 yillik rejalashtirish.

МОДЕЛЬ МАТЕМАТИЧЕСКОГО ПРОГРАММИРОВАНИЯ ДЛЯ МИНИМИЗАЦИИ ЗАТРАТ НА ЗАМЕНУ И ТЕХНИЧЕСКОЕ ОБСЛУЖИВАНИЕ ОБОРУДОВАНИЯ

Маматова Зилолахон Хабибуллохоновна

Ферганский государственный университет, доцент (PhD)

Мухаммадвалиева Мохичехра Зухриддин кизи

Ферганский государственный университет, студентка

Аннотация

В данной статье рассматривается задача минимизации затрат на замену и ремонт оборудования в рамках семилетнего периода планирования. С учётом стоимости приобретения оборудования, ежегодных затрат на ремонт и остаточной стоимости была разработана модель математического программирования. На основе метода динамического программирования были рассчитаны затраты по отдельным интервалам эксплуатации и определена оптимальная стратегия замены оборудования с использованием ориентированного ациклического графа. Расчёты, выполненные в Microsoft Excel, подтвердили решение с минимальными совокупными затратами и позволили определить оптимальный вариант управления оборудованием. Полученные результаты имеют практическое значение для обеспечения эффективного долгосрочного управления оборудованием и планирования затрат на промышленных предприятиях.

Ключевые слова: замена оборудования, затраты на ремонт, динамическое программирование, математическая оптимизация, расчёты в Excel, семилетнее планирование.

A MATHEMATICAL PROGRAMMING MODEL FOR MINIMIZING EQUIPMENT REPLACEMENT AND MAINTENANCE COSTS

Mamatova Zilolakhon Khabibullokhonovna

Fergana State University, Associate Professor (PhD)

Muhammadvaliyeva Mohichehra Zuhridin qizi

Fergana State University, Student

Abstract

This article addresses the problem of minimizing equipment replacement and repair costs over a seven-year planning horizon. Considering the purchase cost, annual maintenance expenses, and salvage values of equipment, a mathematical programming model was developed. Using a dynamic programming approach, interval costs were calculated and an optimal replacement policy was determined through a directed acyclic graph. Calculations performed in Microsoft Excel confirmed the minimum total cost solution and identified the optimal decision strategy. The results provide practical value for improving long-term equipment management, maintenance planning, and cost optimization in industrial enterprises.

Keywords: equipment replacement, repair costs, dynamic programming, mathematical optimization, Excel calculations, seven-year planning.

Today, in industrial enterprises, equipment—one of the primary means of production—plays an invaluable role in increasing production efficiency and ensuring economic stability. As equipment reaches the end of its useful life, undergoes wear, and incurs increasing maintenance costs, enterprises face a key managerial challenge: whether to repair the existing equipment or purchase a new one.

In practice, many enterprises make this decision based on subjective experience, resulting in excessive expenses or reduced production efficiency. Therefore, it is necessary to address the issue of equipment replacement and maintenance scientifically through mathematical modeling and optimization.

This study proposes examining the equipment replacement and maintenance process within a seven-year planning horizon. Based on the purchase cost, maintenance cost, and residual value of the equipment, a mathematical programming model is developed. Using this model, a dynamic programming approach is applied to determine the optimal strategy that minimizes total costs.

The problem of minimizing equipment replacement and maintenance costs is one of the issues in mathematical optimization. To solve this problem, we use the following formula:

$$c_{i-1j} = P_i + r_{j-i+1} - v_{j-i+1}, i, j = 1, 2, \dots, N; i \leq j \quad (1)$$

Here, P denotes the purchase price of the new equipment, r represents the total maintenance costs incurred during the period of use, and v is the residual value obtained at the end of the service life. Using this formula, we calculate the costs for the period from year i to year j .

To describe all decision alternatives, a special directed graph is constructed (Figure 1), which is called an acyclic network. The nodes represent the years, while the arcs indicate the periods of operation of new equipment. The cost values corresponding to each arc are assigned accordingly.




Figure 1. Acyclic network.

In the figure, the years of the planning period are represented as nodes. Each arc indicates that the equipment is purchased in a certain year and used until subsequent years. The value written on the arc, denoted as c_{i-1j} , represents the cost incurred during that interval. The shortest path from the initial node to the final node provides the optimal strategy for equipment replacement and maintenance.

Let us consider the remaining part of the planning period starting from year n . Let f_n be the minimal total cost for the period from year n to year N . Then the recursive equation is written as follows:

$$f_n = \min_{j=n, \dots, N} [c_{n-1j} + f_{j+1}], \quad f_{N+1} = 0 \quad (2)$$

Problem. A business enterprise operates with high-value equipment. The planning period consists of 7 years, and at the beginning of each year it is possible either to replace the equipment with a new one or to continue using the existing one. The purchase price of new equipment at the beginning of year i is P sum, and equipment that has been used for j years can be sold for v sum. To operate new equipment for j consecutive years, a maintenance cost of r sum is required. Using the data given in the table below, compute the costs c , construct the corresponding table, build the acyclic network based on these costs, determine the optimal strategy that yields the minimum replacement cost, and calculate the optimal minimum total cost.

v	105	100	75	55	35	20	0
	20	35	55	110	140	170	195

Solution. First, compute the costs c_{i-1j} using formul $c_{i-1j} = P_i + r_{j-i+1} - v_{j-i+1}$.

When $i = 1, j = 1$,

$$c_{01} = P_1 + r_1 - v_1 = 120 + 20 - 105 = 35$$

When $i = 1, j = 2$,

$$c_{02} = P_1 + r_2 - v_2 = 120 + 35 - 100 = 55$$

When $i = 1, j = 3$,

$$c_{03} = P_1 + r_3 - v_3 = 120 + 55 - 75 = 100$$

When $i = 1, j = 4$,

$$c_{04} = P_1 + r_4 - v_4 = 120 + 110 - 55 = 175$$

When $i = 1, j = 5$,

$$c_{05} = P_1 + r_5 - v_5 = 120 + 140 - 35 = 225$$

When $i = 1, j = 6$,

$$c_{06} = P_1 + r_6 - v_6 = 120 + 170 - 20 = 270$$

When $i = 1, j = 7$,

$$c_{07} = P_1 + r_7 - v_7 = 120 + 195 - 0 = 315$$

When $i = 2, j = 2$,

$$c_{12} = P_2 + r_1 - v_1 = 125 + 20 - 105 = 40$$

When $i = 2, j = 3$,

$$c_{13} = P_2 + r_2 - v_2 = 125 + 35 - 100 = 60$$

When $i = 2, j = 4$,

$$c_{14} = P_2 + r_3 - v_3 = 125 + 55 - 75 = 105$$

When $i = 2, j = 5$,

$$c_{15} = P_2 + r_4 - v_4 = 125 + 110 - 55 = 180$$

When $i = 2, j = 6$,

$$c_{16} = P_2 + r_5 - v_5 = 125 + 140 - 35 = 230$$

When $i = 2, j = 7$,

$$c_{17} = P_2 + r_6 - v_6 = 125 + 170 - 20 = 275$$

When $i = 3, j = 3$,

$$c_{23} = P_3 + r_1 - v_1 = 130 + 20 - 105 = 45$$

When $i = 3, j = 4$,

$$c_{24} = P_3 + r_2 - v_2 = 130 + 35 - 100 = 65$$

When $i = 3, j = 5$,

$$c_{25} = P_3 + r_3 - v_3 = 130 + 55 - 75 = 110$$

When $i = 3, j = 6$,

$$c_{26} = P_3 + r_4 - v_4 = 130 + 110 - 55 = 185$$

When $i = 3, j = 7$,

$$c_{27} = P_3 + r_5 - v_5 = 130 + 140 - 35 = 235$$

When $i = 4, j = 4$,

$$c_{34} = P_4 + r_1 - v_1 = 135 + 20 - 105 = 50$$

When $i = 4, j = 5$,

$$c_{35} = P_4 + r_2 - v_2 = 135 + 35 - 100 = 70$$

When $i = 4, j = 6$,

$$c_{36} = P_4 + r_3 - v_3 = 135 + 55 - 75 = 115$$

When $i = 4, j = 7$,

$$c_{37} = P_4 + r_4 - v_4 = 135 + 110 - 55 = 190$$

When $i = 5, j = 5$,

$$c_{45} = P_5 + r_1 - v_1 = 140 + 20 - 105 = 55$$

When $i = 5, j = 6$,

$$c_{46} = P_5 + r_2 - v_2 = 140 + 35 - 100 = 75$$

When $i = 5, j = 7$,

$$c_{47} = P_5 + r_3 - v_3 = 140 + 55 - 75 = 120$$

When $i = 6, j = 6$,

$$c_{56} = P_6 + r_1 - v_1 = 145 + 20 - 105 = 60$$

When $i = 6, j = 7$,

$$c_{57} = P_6 + r_2 - v_2 = 145 + 35 - 100 = 80$$

When $i = 7, j = 7$,

$$c_{67} = P_7 + r_1 - v_1 = 150 + 20 - 105 = 65$$

We place all of these appropriately into the acyclic network:




Figure 2. Acyclic network.

	1	2	3	4	5	6	7
0	35	55	100	175	225	270	315
1		40	60	105	180	230	275
2			45	65	110	185	235
3				50	70	115	190
4					55	75	120
5						60	80
6							65

Table 1. Costs for the period from year i to year j .

Now, using the table above and the formula $f_n = \min_{j=n, \dots, N} [c_{n-1j} + f_{j+1}]$, $f_{N+1} = 0$, we determine the optimal minimal cost.

$$f_{N+1} = f_8 = 0$$

$$f_7 = \min_{j=7,8} [c_{67} + f_8; c_{68} + f_9] = \min_{j=7} [65 + 0] = 65$$

Minimal path: $6 \Rightarrow 7$

$$f_6 = \min_{j=6,7} [c_{56} + f_7; c_{57} + f_8] = \min_{j=6,7} [60 + 65; 80 + 0] = \min_{j=6,7} [125; 80] = 80$$

Minimal path: $5 \Rightarrow 7$

$$f_5 = \min_{j=5,6,7} [c_{45} + f_6; c_{46} + f_7; c_{47} + f_8] = \min_{j=5,6,7,8} [55 + 80; 75 + 65; 120 + 0] = \min_{j=5,6,7} [135; 140; 120] = 120$$

Minimal path: $4 \Rightarrow 7$

$$f_4 = \min_{j=4,5,6,7} [c_{34} + f_5; c_{35} + f_6; c_{36} + f_7; c_{37} + f_8] = \min_{j=4,5,6,7} [50 + 120; 70 + 80; 115 + 65; 190 + 0] = 150$$

Minimal path: $3 \Rightarrow 5$

$$f_3 = \min_{j=3,4,5,6,7} [c_{23} + f_4; c_{24} + f_5; c_{25} + f_6; c_{26} + f_7; c_{27} + f_8] = \min_{j=3,4,5,6,7} [45 + 150; 65 + 120; 110 + 80; 185 + 65; 235 + 0] = 185$$

Minimal path: $2 \Rightarrow 4$

$$f_2 = \min_{j=2,3,4,5,6,7} [c_{12} + f_3; c_{13} + f_4; c_{14} + f_5; c_{15} + f_6; c_{16} + f_7; c_{17} + f_8] = \min_{j=2,3,4,5,6,7} [40 + 185; 60 + 150; 105 + 120; 180 + 80; 230 + 65; 275 + 0] = 210$$

Minimal path: $1 \Rightarrow 3$

$$f_1 = \min_{j=1,2,3,4,5,6,7} [c_{01} + f_2; c_{02} + f_3; c_{03} + f_4; c_{04} + f_5; c_{05} + f_6; c_{06} + f_7; c_{07} + f_8] = \min_{j=1,2,3,4,5,6,7} [35 + 210; 55 + 185; 100 + 150; 175 + 120; 225 + 80; 270 + 65; 315 + 0] = 240$$

Minimal path: $0 \Rightarrow 2$

From the above results, it is clear that the optimal minimal-cost path is $0 \Rightarrow 2 \Rightarrow 4 \Rightarrow 7$. If we verify the optimal minimal-cost path using the cost table, option $0 \Rightarrow 2 \Rightarrow 4 \Rightarrow 7 = 55 + 65 + 120 = 240$ confirms the result, indicating that the example has been solved correctly. Now let us check the example using Excel.

Excel:

	A	B	C	D	E	F	G	H	I	J
1	№	1	2	3	4	5	6	7		
2	P	120	125	130	135	140	145	150		
3	v	105	100	75	55	35	20	0		
4	r	20	35	55	110	140	170	195		
5										
6		1	2	3	4	5	6	7		
7	0	35	55	100	175	225	270	315		
8	1		40	60	105	180	230	275		
9	2			45	65	110	185	235		
10	3				50	70	115	190		
11	4					55	75	120		
12	5						60	80		
13	6							65		
14										
15									Minimal	
16		1	2	3	4	5	6	7	qiymatla	Yonalish
17	8								0	
18	7							65	65	6=>7
19	6						125	80	80	5=>7
20	5					135	140	120	120	4=>7
21	4				170	150	180	190	150	3=>5
22	3			195	185	190	250	235	185	2=>4
23	2		225	210	225	260	295	275	210	1=>3
24	1	245	240	250	295	305	335	315	240	0=>2
25										
26	optimal yo'l:	0=>2=>4=>7				optimal yechim	240			

Figure 3. Excel solution.

As a result of the calculations, the optimal strategy for equipment replacement and maintenance was determined. The results were verified using Excel, and they were consistent with one another. This confirms the correctness of the model and its applicability in practice.

Conclusion

In the course of the study, the problem of mathematically optimizing the process of equipment replacement and maintenance was examined. The model developed on the basis of the dynamic programming method was applied to a seven-year planning horizon and served to minimize total costs. Calculations performed in Excel identified the optimal strategy, indicating in which years equipment should be replaced and in which years maintenance is advisable. The results confirm the practical significance of the model, demonstrating that it can be applied by enterprises in managing long-term assets, reducing financial costs, and increasing production efficiency.

REFERENCES

1. Ahmedov U.Sh., Abdukarimov B.X. Operatsiyalar tadqiqi asoslari. – Toshkent: O'qituvchi, 2019.
2. Taha H.A. Operations Research: An Introduction. 10th ed. – Pearson Education, 2017.
3. Nazarov B.B. Iqtisodiy modellashtirish asoslari. – Toshkent: Fan va texnologiya, 2018.
4. Hamidov U.M., Yunusov A.A. Sanoat korxonalarida texnologik rejalashtirish. – Toshkent: Ma'rifat, 2016.
5. Hillier F.S., Lieberman G.J. Introduction to Operations Research. 9th ed. – McGraw-Hill Education, 2010.
6. Khojiev B.X. Korxonani boshqarish va iqtisodiy tahlil. – Toshkent: Iqtisodiyot, 2015.
7. Winston W.L. Operations Research: Applications and Algorithms. 4th ed. – Cengage Learning, 2004.
8. Mamatova Z.X. Texnologik tizimlarda ekspluatatsiya xarajatlarini minimallashtirish masalalari. – Toshkent: Fan, 2021.